
REVISED AUGUST 1998 STARTING SERIAL #11800

PARTS LIST MANUAL



Model CPM-8



EQUIPMENT DEVELOPMENT COMPANY, INC.

100 THOMAS JOHNSON DRIVE, FREDERICK, MARYLAND 21702-4600 USA PHDNE (301)663-1600 TOLL FREE 1-800-638-3326 FAX FREE 1-800-447-3326 FAX (301)663-1607 EMAIL: sales@edcoinc.com

WEBSITE: www.edcoinc.com

PRINTED IN U.S.A. E-CPM8-IP-898



READ AND UNDERSTAND THE INSTRUCTIONS THOROUGHLY BEFORE ATTEMPTING TO OPERATE THIS EQUIPMENT.

Death or serious injury could occur if the machine is used improperly.



WARNING



The engine exhaust from this product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.



SAFETY MESSAGE



The safety instructions are proceeded by a graphic alert message of DANGER, WARNING or CAUTION.



A safety instruction that advises that death or serious injury will result if instructions are not followed and caution exercised.



A safety instruction that advises that death or serious injury can result if instructions are not followed and caution exercised



further details.

A safety instruction that advises that injury could result if instructions are not followed.

GASOLINE POWERED EQUIPMENT



The engine exhaust from this product contains chemicals known, in certain quantities, to cause cancer, birth defects or other reproductive harm.





Do not operate gasoline powered equipment without adequate ventilation. Carbon monoxide is an invisible, odorless gas that can kill.



ELECTRIC POWERED EQUIPMENT



ELECTRICAL HAZARD - Be sure equipment is properly grounded. Failure to comply could kill or result in serious injury.



WARNING

GENERAL SAFETY PRECAUTIONS CAUTION



- You must read and understand the operators instruction manual and all other manuals associated with this machine. For your safety and the safety of others around you, it is extremely important to fully understand how to operate this machine in the way it was intended. Different model machines or older/newer versions of the same model may have different parts and controls that you need to understand. If instructions are not readable or available DO NOT USE this machine and contact the factory for a replacement Manual.
- You must be able to physically handle the bulk weight and power of this machine. If not properly controlled this machine can cause death or serious injury.
- Do not operate this machine in an impaired mental state. You must be able to exercise good judgement and reactions to maintain a safe working environment.
- This is a "one person" machine which means only one operator may be operating the machine at any one time. For the safety of others, maintain a safe operating distance to other personnel. Your work area should be defined and appropriately marked so bystanders and coworkers do not wonder near this machine and end up seriously injured by flying debris or exposing them to harmful noise or dust.
- This equipment is for Commercial use. Although this is a "one person" machine your work team should understand how to shut this machine off and quickly get medical help if an accident strikes the operator.
- Keep all guards in place during operation. The guards are in place to help protect from inadvertent contact with something dangerous like a pinch point or hot surface.
- Wear appropriate Personal Protective Equipment (PPE) including safety glasses, safety boots, work gloves, respiratory protection (when required), hearing protection, and head protection. Do not wear loose clothing that can get tangled in moving parts. Failure to do so could result in dismemberment or death. Wear an approved respirator when removing hazardous materials or when grinding/cutting dry materials. Some dust particles such as concrete dust can contain silicate particles which can cause silicosis (a very serious lung disease). Contact NIOSH or OSHA for
 - When wet grinding/cutting, avoid contact with the concrete/Asphalt slurry which can cause a serious skin irritation.
- You must maintain this machine per the maintenance schedule in the operator manual. Remember before adjusting, servicing, or fueling this machine, disconnect the source of power to the machine by disconnecting the spark plug (Gas/diesel models), or by unplugging the electrical power cord (electric models) or air hose (Pneumatic models) AT THE MACHINE so you can assure yourself it remains unplugged while you are working on it. Do not modify this machine. Use only genuine EDCO parts and accessories. Repairs and service should be performed by approved EDCO dealers or authorized technicians.
- You should look carefully around the area before you begin work so you can identify potential hazards such as deck inserts, pipes, columns, openings, electrical cords or outlets, or any other objects protruding from the slab surface.
- 10. This machine has no brain so you must use your own. There is no substitute for safety. The safety decals on the machine are to serve as a reminder for information you must already know before you begin using this machine. Take a moment to reread the safety decals each time you use the machine. If your machine is missing any decals, contact the factory for a replacement (EDCO 1-800-638-3326).

EDCO Model CPM-8, "COMPACT PLANER"

TABLE OF CONTENTS

- 1- Instructions and General Safety Precautions
- 2 Information Page (Table of Contents)
- 3 EDCO Model CPM-8,"COMPACT PLANER", Illustration 1: Frame Assembly
- 4 Parts Listing Illustration 1: Frame Assembly
- 5 Illustration/Parts Listing 2: Drum Shaft and Bearings
- 6 Illustration/Parts Listing 3: Engine and Belt Drive Assembly
- 7 Illustration 4: Motor Belt Drive Assembly
- 8 Parts Listing Illustration 4: Motor Belt Drive Assembly
- **9 -** Illustration/Parts Listing 5: Cutter Wheel Drum Assembly (Standard)
- **10 -** Illustration/Parts Listing 6: Roto-Peen Flap/Hub Assembly (Standard)
- 11 Illustration/Parts Listing 7: Diamond Grooving Head Assembly (Standard)
- 12 Illustration/Parts Listing 8: Optional Edger Assembly
- 13 Illustration/Parts Listing 9: Optional Cutter Wheel Drum Assembly (For Edger Assembly)
- **14 -** Illustration/Parts Listing 10: Optional Roto-Peen Flap/Hub Assembly (For Edger Assembly)


(Back Cover) - Limited Equipment Warranty

PLEASE FILL IN INFORMATION AND SAVE
Date of Purchase
Name of Machine
Model #
Serial #
Belt Size(s)

HOW TO ORDER REPAIR PARTS


- To insure product safety and reliability, always use genuine EDCO replacement parts when making repairs to the equipment.
- When ordering parts, please specify the MODEL and SERIAL NUMBER of the machine as given on the NAME PLATE. In addition, give part number, description and quantity as listed on the parts list.
- Please note: Due to improvements and changes in the equipment, the illustrations shown may be different than the actual machine.

ILLUSTRATION 1: FRAME ASSEMBLY




PARTS LISTING - ILLUSTRATION 1: FRAME ASSEMBLY ITEM PART# **DESCRIPTION** QTY. Handle Bar, CPM-8 Screw, Cap 3/8-16 x 1 Grip, Hand 1" Model AT Plug, Hole 7/8" (Chrome) - Electric Models Only Knob, Ball 1-3/8" DIA. W/ 1/2-13 THD. Screw, Drive 1/8 X 1/4" L Fitting, Grease 1/4-28 Straight Linkage Support, Upper, CPM-4/8 Screw, Cap 5/8-11 X 3-1/4 Washer, Flat 5/8 Bushing, Rubber 5/8"ID X 1/4"THK Handwheel, Small W/5/8-8 X 13"Rod Decal, Cut Control - DW N/UP (Small Round) Knob, Ball 1-3/8" DIA. W/ 1/2-13 THD. Screw, Skt. Hd. Cap 1/2-13 x 4-1/2 Sleeve for 1/2"Capscrew, Tapered Washer, Flat 5/8 Bearing, Ball 5/8"ID x 1-1/2"OD (Thrust) Collar, Locking 5/8" ID Linkage, Lower Screw, Cap 1/2-13 X 4 Nut, Lock 1/2-13 Fork Spacer, Rear Wheel 2-3/16" Wheel, 4 x 1-1/2 x 3/4" Brg. Alum./Rubber Pin, Cotter 3/16 x 1-1/4 Bolt, Allthread Rod 1/2-13 X 8 Washer, Flat 112 Nut, Lock 1/2-13 Main Frame Screw, Cap 1/2-20 x 1 Washer, Lock 1/2 Washer, Flat 1/2 Axle Shaft, Front 3/4" DIA. X 12-7/32" L, CPM-8 Collar, Locking 3/4" ID Wheel, 4 x 1-1/2 x 3/4" Brg. Alum./Rubber Brushes (Set of 4) Screw, Cap 1/4-20 x 1/2 Nut, Keps 1/4-20 Plug, Cap 2" Cover, Belt Plug, Hole 2" Nut, Acorn 1/2-20 Washer, Lock 1/2 Washer, Flat 1/2 Nut 1/2-20 Spacer Tube 1/2" ID X 3-9/16" L, CPM-8 Screw, Clap 1/2-20 x 5 Mount, Engine Motor, Standard, CPM-8 (Excluding 5.5 HP Honda) 5.5 HP Honda, CPM-8 (Export Models Only) Screw, Cap 3/8-24 X 1 Washer, Flat 3/8 Nut, Lock 3/8-24 Bolt, Carriage 3/8-16 X 1 Washer, Flat 3/8 Washer, Lock 3/8 Nut 3/8-16

ILLUSTRATION 2: DRUM SHAFT AND BEARINGS



	P	ARTS LISTING - ILLUSTRATION 2: DRUM SHAFT AND BEARINGS	
ITEM #	PART#	DESCRIPTION DESCRIPTION	QTY.
1	65037	Drum/Hub Shaft 18-3/8" Length, CPM-8	1
2	65039	Nut, Jam 5/8-11 Left-Hand Thread	2
3	65057	Bearing Assy. Complete, 1" Hex Bore	1
4	65056	Bearing Assy. Complete, 1-1/4" Dia. Bore	1
5	65031	Retainer, Bearing, CPM-8	2
6	65030	Bearing, Ball 1-1/4" W/Snap Ring	2
7	65033	Bushing, Bearing, 1" Hex Bore, CPM-8	1
8	10808	Fitting, Grease 1/4-28 Straight	1
9	10961	Fitting, Grease 1/4" -28 X 90°	1
10	10309	Screw, Cap 3/8-24 X 1-1/4"	8
11	10811	Washer, Lock 3/8"	8
12	10025	Washer, Flat 3/8"	8
13	10878	Screw, Skt. Hd. Cap 3/8-24 X 1"	3
14	10113	Spacer, Steel 9/16" OD X 3/8" ID X 7/32"	3
15	65038	Driver, CPM-8	1
16	10873	Retaining Ring, Ext. 1-1/4" 5100-125	1



		PARTS LISTING - ILLUSTRATION 3: ENGINE & BELT DRIVE ASSEMBLY	
ITEM #	PART#	DESCRIPTION	QTY.
1		Engine	1
	15027	Honda 9.0 HP GX270	
	15015	Kohler 8.0 HP Magnum M8T	
	15039	B&S Vanguard 7.5 HP 138432	
	15033	B&S Vanguard 9.0 HP 185432	
	40387	Honda 5.5 HP GX160 (Export Models Only)	
2	10054	Nut 5/16-18	4
3	10801	Washer, Lock 5/16	4
4	10213	Washer, Flat 5/16	4
5	10918	Bolt, Carriage 5/16-18 X 1-3/4	4
6	50010	Switch Kit, Stop Button, 7/8" Hole	1
7	40388	Cable, Throttle Control, Lever-Type 24"	1
8	10831	Washer, Lock, Int. Tooth #10	2
9	10828	Screw, Self-Tap Pan Head 10-24 X 1/2	2
10	10307	Key 1/4 SQ X 2-1/4	11
11		Sheave	111
	10553	2.5" OD X 2 Gr. A X 1" Bore (Excluding Honda 5.5 HP GX160)	
	10559	2.5" OD X 2 Gr. A X 3/4" Bore (For use with Honda 5.5 HP only)	
12		Belt	2
	81007	AX-33 (Excluding Honda 5.5 HP GX160)	

ILLUSTRATION 4: MOTOR & BELT DRIVE ASSEMBLY 3 12 11 5 -6 -5 -- 13 14 -19 15. 16 20 17 21 18 22 23 24

Page 7

PARTS LISTING - ILLUSTRATION 4:						
	MOTOR & BELT DRIVE ASSEMBLY					
ITEM #	PART#	DESCRIPT			QTY	
1	40000		tor, Locking 20A/25	60V (See Note)	1	
2	40037		20A/250V (See No		1	
3		Wire Harness		ii.4	1	
	86026	10/3 x 24" L				
	86022	12/4 x 24" L				
4	10605	Connector, S	train Relief 3/4 NF	PT x .650750" Ran	ige 3	
5	10740	Conduit Lock			3	
6	85045		30 W/ Large Enclos	ure		
			, Phase, Volts, Am			
7	10362		ine 8-32 x 3/4		2	
8	10850	Washer, Flat			2	
9	10461				2	
10	10462	Nut 8-32			2	
11	86027	Mounting Brk	t., Large CA3-30 Si	tarter	1	
12	10846		ap Hex Washer 1/4		2	
13		Wire Harness			1	
	65040	10/3 x 50" C	PM-8-E 1-Phase			
	65041	12/4 x 50" C	PM-8-E 3-Phase			
14		Motor			1	
	81026	Baldor 5.0	HP-1 PH, 60 HZ, 3	450 RPM		
	81022		HP-3 PH, 60 HZ, 3			
	16020	Baldor 5.0	HP-3 PH, 50 HZ, 2	850 RPM		
15	10054	Nut 5/16-18			4	
16	10801	Washer, Lock	c 5/16		4	
17	10213	Washer, Flat	5/16		4	
18	10819	Bolt, Carriage	e 5/16-18 x 1		4	
19	10101	Key 1/4" SQ	x 1-3/4" (Included w	vith motor)		
20		Sheave (See	Chart)			
	10555	2.50" OD x	2 Gr. A x 1-1/8" Bo	re		
	10526	3.00" OD x	2 Gr. A x 1-1/8" Bo	re		
21	10239	Belt AP-32			2	
22	40317	Key 1/4" SQ	X 1-5/8"		1	
23	10505	Bushing, She	ave SH x 1-1/4" Bo	ore	1	
24	65045	4.05" OD x 2	Gr. A x SH		1	
		NOTE:				
		Plug and Co	onnector (Items #	1 & #2)		
		•	olied on 3 Phase	,		
			se units use 10/3			
		•	e units use 12/4 V			
BEL	T DRIVE		ATIONS CHART		IC CPM-8	
MOTOR SE	DECS I	DRUM RPM (NO LOAD)	MOTOR SHEAVE (ITEM #20)	DRUM SHEAVE (ITEM #24)	BELT SIZE	
5.0 HP/60		1997 RPM	2.50" O.D.	4.05" O.D.	AP-32	
3450 RF		1991 KMIVI	(1 PIECE)	(SH 1-1/4)	AT-32	
5.0 HP/60			3 00" O D	4.05" O.D	i	

3.00" O.D. (1 PIECE)


4.05" O.D. (SH 1-1/4)

AP-32

5.0 HP/60 Hz 2850 RPM


2025 RPM

ILLUSTRATION 5: CUTTER WHEEL DRUM ASSEMBLY (STANDARD)



PARTS LISTING - ILLUSTRATION 5: CUTTER WHEEL DRUM ASSEMBLY (STANDARD)					
ITEM #	PART#	DESCRIPTION	QTY.		
1	65050	Drum Assy. Complete, CPM-8 Cutter (Includes Items 2 thru 8)			
2	65051	Drum Only, Cutter, CPM-8	1		
3	65055	Bushing, Drum, Hardened Steel 1/2" ID	12		
4	65054	Retaining Plate, Cutter Shaft CPM-4/8	2		
5	10801	Washer, Lock 5/16	6		
6	10213	Washer, Flat 5/16	6		
7	10053	Screw, Cap 5/16-18 X 3/4	6		
8	20150	CP407 Cutter Shaft For CPM-8, 8-1/2" L	6		
9	12230	CG227 Spacer 1/2" ID	¤		
10		Cutter Wheels	¤		
	12206	JRS501-P, 18 Tooth - Pointed			
		Light Scarifying, Hi Carbon Steel, 2" OD x 1/2" ID x 3/16" THK			
	20206	CP305, 12 Tooth, Flat Tip			
		General Purpose, Hi Carbon Steel, 2" OD x 5/8" ID x 3/16" THK			
	20156	CP206T, 6 Point			
		Long Lasting, Tungsten Carbide, 1-3/4" OD x 5/8" ID x 1/4" THK			


ILLUSTRATION 6: ROTO-PEEN FLAP HUB ASSEMBLY (STANDARD)



PARTS LISTING - ILLUSTRATION 6: ROTO-PEEN FLAP HUB ASSEMBLY (STANDARD)

	<u>ROIO</u>	<u> PEEN FLAP HUB ASSEMBLY (STANDARD)</u>	
ITEM #	PART#	DESCRIPTION	QTY.
1	65060	Hub-8 Assembly, Complete, ROTO-PEEN 7-1/2"	
		(Includes Items 2 thru 8)	
2	65066	Hub Only, ROTO-PEEN 7-1/2" CPM-8	1
3	25060	Spacer Ring, ROTO-PEEN Hub	2/Set
4	65067	Flange, End Cap, ROTO-PEEN, CPM-8	1
5	65068	Flange, Driver, ROTO-PEEN Hub, CPM-8	11
6	10451	Washer, Lock, Int. Tooth 1/4"	6
7	10871	Screw, Skt. Button Head 1/4-20 X 1	6
8	65065	Keeper Pin 7", ROTO-PEEN, Set of 20	1 Set
9	-	FLAP, ROTO-PEEN	¤
	25020	2" TYPE B	
	25021	2" TYPE C	
	25022	2" TYPE D	

ILLUSTRATION 7: DIAMOND GROOVING HEAD ASSEMBLY (STANDARD)




PARTS LISTING - ILLUSTRATION 7: DIAMOND GROOVING HEAD ASSEMBLY (STANDARD)

		(OTANDAND)	
ITEM #	PART#	DESCRIPTION	QTY.
1	65077	Diamond Grooving Head Assembly	
		(Includes Items 2 through 5)	
2	65070	Arbor, Diamond Grooving Head, CPM-8	1
3		Arbor, Blade Retaining Cap 6", CPM-8	1
4	65075	Washer, Lock, Int. Tooth 1-1/4"	1
5	65076	Nut, Jam 1 1/4-12	1
6		Spacer, Blade	¤
	65072	6" O.D. X 1-1/4" I.D. X .063" THK	
	65073	6" O.D. X 1-1/4" I.D. X 1/2" THK	
	65074	6" O.D. X 1-1/4" I.D. X 1" THK	
	65078	6" O.D. X 1-1/4" I.D. X 5/8" THK	e e e e e e e e e e e e e e e e e e e
7	39808	DCC-05S Diamond Blade, 7 x .090 x 1.25" W/ Keyway	¤

¤ NOTE:


Diamond Blades and Spacers are not included with Head Assembly.

These quantities vary with the type of set-up used.



PARTS LISTING - ILLUSTRATION 8: OPTIONAL EDGER ASSEMBLY				
ITEM #	PART#	DESCRIPTION	QTY.	
1	65039	Nut, Jam 5/8-11 Left-Hand Thread	2	
2	65028	Pin, Wire Lock 5/16 X 2-3/4	1	
3	65026	Flange, Driver, CPM-8 Edger	1	
4	65025	Drum Shaft, Side Mounted Edger, CPM-8	1	
5	10420	Washer, Lock 1/2 Heavy-Duty	1	
6	10490	Screw, Skt. Hd. Cap 1/2-13 X 1	1	
<u>7</u>	10907	Screw, Cap 3/8-16 X 3/4	2	
8	10811	Washer, Lock 3/8	2	
9	65021	Plug, Cap 2"	1	
10	65023	Cover W/ Brushes, CPM-8 Edger	1	
11	65024	Cover Side Panel W/ Brush, CPM-8 Edger	1	
12	10213	Washer, Flat 5/16	2	
13	10801	Washer, Lock 5/16	2	
14	10627	Screw, Skt. Button Head 5/16-18 X 3/4	2	
15	65029	Brushes (SET OF 3) Edger (Included with Items 10 & 11)	1	
16	10128	Rivet, Blind 1/8 X .265" L X .250" HD. DIA. Page 12	4	


PARTS LISTING-ILLUSTRATION 9: OPTIONAL CUTTER WHEEL DRUM ASSEMBLY (USED WITH EDGER ASSEMBLY ONLY)



0	PARTS LISTING - ILLUSTRATION 9: OPTIONAL CUTTER WHEEL DRUM ASSEMBLY				
ITEM #	PART#	DESCRIPTION	QTY.		
1	C66040	Drum Assembly, Cutter CPM-4 (Includes Items 2 thru 8)			
2	C66041	Drum Only, Cutter, CPM-4	1		
3	65055	Bushing, Drum, Hardened Steel 1/2" ID	12		
4	65054	Retaining Plate, Cutter Shaft CPM-4/8	2		
5	10213	Washer, Flat 5/16	6		
6	10801	Washer, Lock 5/16	6		
7	10627	Screw, Skt. Button Head 5/16-18 X 3/4	6		
8	C66043	CP410 Shaft, 1/2 X 5-1/4"L, CPM-4	6		
9	12230	CG227 Spacer 1/2" ID Page 13	¤		

PARTS LISTING-ILLUSTRATION 10: OPTIONAL ROTO-PEEN FLAP HUB ASSEMBLY

(USED WITH EDGER ASSEMBLY ONLY)



PARTS LISTING - ILLUSTRATION 10: OPTIONAL ROTO-PEEN FLAP HUB ASSEMBLY					
ITEM #		DESCRIPTION	QTY.		
1	C66050	Hub-4 Assembly. Complete, Roto-Peen 5-1/2"			
2		Hub Only, Roto-Peen, CPM-4	1		
3		Spacer Ring, Roto-Peen Hub	2/Set		
4	ALLEY COLUMN TO A	Retaining Plate, Roto-Peen Flap CPM-4	1		
5	10628	Screw, Flat Head Slotted 8-32 X 1/2	4		
6	C66054	Keeper Pin 5", Roto-Peen, Set of 20	1 Set		
7		Roto-Peen Flap 2"	¤		
	25020	Type B			
	25021	Type C			
	25022	Type D			
8		Roto-Peen Flap 1" (Cut 2" Flap in Half)	¤		
	¤ NOTF∙				

Flaps are not included with Hub Assembly.

Number of Flaps vary with type of set-up used.

Refer to Assembly Instructions for suggested Flap Types and quantities.

LIMITED EQUIPMENT WARRANTY

Equipment Development Company, Inc. herein referred to as EDCO warrants that each new unit manufactured by EDCO to be free from defects in material and workmanship in normal use and service for a period of (1) one year (except in the case of the cutter drum assembly on all model concrete asphalt planes, in which case the warranty period shall be 90 days) from date of shipment to the original retail or equipment rental center owner.

EDCO will, at its option, repair or replace, at the EDCO factory or at a point designated by EDCO any part, which shall appear to the satisfaction of EDCO inspection to have been defective in material or workmanship.

This warranty, does not apply to failure occurring as a result of abuse, misuse, negligent repairs, corrosion, erosion, normal wear and tear, alterations or modifications made to the product without express written consent of EDCO: or failure to follow the recommended operating practices and maintenance procedures as provided in the products operating and maintenance manuals.

This warranty does not obligate EDCO to bear any transportation charges in connection with the replacement or repair of defective parts. This warranty does not obligate EDCO to bear any expense for travel time or of personnel in connection with any service calls.

Accessories or equipment furnished and installed on the product by EDCO but manufactured by others, including but not limited to engines, motors, electrical equipment, transmissions, etc., shall carry the accessory manufacturers' own warranty.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, OR STATUTORY, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE.

LIABILITY LIMITATIONS

The remedies of the user set forth under provisions of warranty outlined above are the exclusive and total liability of EDCO with the respect to their sale or the equipment and service furnished hereunder, in connection with the performance or breach thereof, or from the sale, delivery, installation, repair or technical direction covered by or furnished under the sale, whether based on contract, warranty, negligence, indemnity, strict liability, or otherwise shall not exceed the purchase price of the unit of equipment upon which such liability is based.

EDCO will not in any event be liable to the user, any successors in interest or any beneficiary or assignee relating to this sale for any consequential, incidental, indirect, special or punitive damages arising out of this sale or any breach thereof, or any defects on, or failure of, or malfunction of the equipment under this sale based upon loss of use, lost profits or revenue, interest, lost goodwill, work stoppage, impairment of other goods, loss by reason of shutdown or non-operation, increased expenses of operation of the equipment, cost of purchase or replacement power of claims of users or customers of the user for service interruption whether or not such loss or damage is based on contract, warranty, negligence, indemnity, strict liability, or otherwise.

EDCO reserves the right to modify, alter and improve any part or parts without incurring any obligation to replace any part or parts previously sold without such modified, altered or improved part or parts.

No person is authorized to give any other warranty or to assume any additional obligation on EDCO's behalf unless made in writing and signed by an officer of EDCO.

Equipment Development Company, Inc.

USE ONLY GENUINE EDCO PARTS AND ACCESSORIES

For your own safety, the safety of others and the life of your machine



Printed in USA

EQUIPMENT DEVELOPMENT COMPANY, INC.